Ask the caregiver: "Does the child have cough or difficult breathing? YES Ask: "For how long?" If cough lasted more than 2 weeks: refer child to PHU. THEN THEN THEN Pneumonia Flowchart Look, listen, feel Use ARI timer to count the breaths in one minute. - Child 2 months to 11 months:

Ask and check: Look: - "Is the child able to drink or breastfeed?" - See if unconscious. - "Does the child vomit everything?" - See if now. - "Has the child had convulsions?"

YES

> Tell caregiver to give small

amount of liquid frequently

while on the way if possible.

or continue breastfeeding

Refer to PHU urgently.

LOOK: - See if child is sleepy or

- See if the child is convulsing

- Look for chost in-drawing

Use ARI timer to count the breaths in one minute. - Child 2 months to 11 months: 50 breaths or above = fast breathing - Child 12 months up to 5 years: 40 breaths or above = fast breathing


NO




- Refer child 0-2 months to PHU.
- Give Cotrimoxazole for 5 days according to age (3-59 months).
- Soothe the throat and relieve the cough with a safe remedy.
- Advise caregiver when to return immediately.
- Follow-up in 1 day.

Pneumonia Flowchart

- 1. ASK "What problem is the child having? Caregiver says "cough" or breathing problems.
- 2. ASK and LOOK for danger signs.







Count breaths per minute

